

	Type	Hits	Search Text	DBs
1	BRS	1096	362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	663	362/551.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	599	362/551.ccls. not 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	438199	(light adj emitting adj diod\$4) or LED\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	138	362/551.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	191	362/559.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	62	362/559.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	414	362/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	136	362/231.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	134	362/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	34	362/236.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	505	362/240.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	126	362/240.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	93	362/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	50	362/244.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	87	362/246.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	38	362/246.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	260	362/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	67	362/330.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	316	362/331.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	45	362/331.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	209	362/335.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	22	362/335.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
24	BRS	145	362/336.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	12	362/336.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	211	362/337.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	9	362/337.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	86	362/338.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	13	362/338.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	458	362/339.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	70	362/339.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	1075	362/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	162181	((light or wave) near4 (guide or panel or substrate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	851	362/812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	136	362/812.ccls. and ((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	45	((light or wave) near4 (guide or panel or substrate)) and (362/812.ccls. and ((light adj emitting adj diod\$4) or LED\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	244	362/800.ccls. and ((light or wave) near4 (guide or panel or substrate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	726	116/63r.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	438199	((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	517	116/63p.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	79	116/63t.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	15	((light adj emitting adj diod\$4) or LED\$4 ) and 116/63r.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	23	((light adj emitting adj diod\$4) or LED\$4 ) and 116/63p.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	5	((light adj emitting adj diod\$4) or LED\$4 ) and 116/63t.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	489	340/907.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
46	BRS	198	340/908.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	96	340/909.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	115	340/916.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	98	340/944.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	97	((light adj emitting adj diod\$4) or LED\$4 ) and 340/907.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	19	((light adj emitting adj diod\$4) or LED\$4 ) and 340/944.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	14	((light adj emitting adj diod\$4) or LED\$4 ) and 340/916.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	7	((light adj emitting adj diod\$4) or LED\$4 ) and 340/909.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	48	((light adj emitting adj diod\$4) or LED\$4 ) and 340/908.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	IS&R	2	("5365411").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	IS&R	2	("6036328").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	9	("3760237"   "4473866"   "4774434"   "5077587"   "5093768"   "5136483"   "5408388"   "5528709"   "5641219").PN.	USPAT
58	BRS	4	"6036328".URPN.	USPAT
59	BRS	4	"6036328".URPN.	USPAT
60	IS&R	0	("754636.ap.").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	BRS	5	"754636".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	0	"20010049893".URPN.	USPAT
63	BRS	0	"20010049893".URPN.	USPAT
64	IS&R	2	("6386720").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
65	BRS	37	("2347665"   "4128332"   "4313124"   "4345262"   "4459600"   "4463359"   "4558333"   "4704004"   "4723129"   "4737896"   "4740796"   "4766498"   "4797711"   "4822144"   "4870484"   "4882617"   "4908717"   "4933817"   "4976514"   "5058997"   "5068568"   "5128842"   "5135300"   "5214536"   "5215370"   "5241459"   "5248518"   "5248917"   "5296951"   "5315418"   "5375043"   "5499112"   "5575549"   "5584556"   "5613751"   "5640483"   "5808295").PN.	USPAT
66	BRS	0	"6386720".URPN.	USPAT
67	BRS	0	"6386720".URPN.	USPAT
68	IS&R	1	("6481131").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	"6481131".URPN.	USPAT
70	BRS	12	("2091342"   "4644164"   "5276591"   "5433024"   "5550715"   "5576078"   "5636914"   "5743616"   "5775791"   "5842297"   "6036328"   "6073374").PN.	USPAT
71	BRS	0	"6481131".URPN.	USPAT
72	IS&R	2	("5375043").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	6	("4975809"   "5079675"   "5124890"   "5136483"   "5147129"   "5239450").PN.	USPAT
74	BRS	25	"5375043".URPN.	USPAT
75	BRS	438498	(light adj emitting adj diod\$4) or LED\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	1458	((light adj emitting adj diod\$4) or LED\$4 ) and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	44	((((light adj emitting adj diod\$4) or LED\$4 ) and "40"/\$.ccls.) and ((wave near4 guide) or (light near5 guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	439022	(light adj emitting adj diod\$4) or LED\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	60583	(light near5 guide) or (wave adj guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	321552	(concave or convex or curved) near5 (plane or portion or surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	IS&R	2	("5575549").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
82	BRS	4	("5420761"   "5461547"   "5485291"   "5485354").PN.	USPAT
83	BRS	26	"5575549".URPN.	USPAT
84	BRS	5	("5461547"   "5485354"   "5575549"   "5718497"   "5779337").PN.	USPAT
85	BRS	0	"6164791".URPN.	USPAT
86	BRS	0	"6164791".URPN.	USPAT
87	BRS	73	("Re33987"   "1734834"   "2448244"   "2761056"   "2907869"   "3223833"   "3300646"   "3349234"   "3497686"   "3539796"   "3586851"   "3610941"   "3752974"   "3754130"   "3892959"   "3957351"   "4011001"   "4043636"   "4115994"   "4118110"   "4183628"   "4195915"   "4212048"   "4252416"   "4257084"   "4392750"   "4440474"   "4453200"   "4528617"   "4560264"   "4616295"   "4649462"   "4706173"   "4714983"   "4720706"   "4723840"   "4735495"   "4737896"   "4766526"   "4798448"   "4826294"   "4875200"   "4910652"   "4914553"   "4945349"   "4972394"   "4998804"   "5008658"   "5029045"   "5029986"   "5050946"   "5070431"   "5083240"   "5128783"   "5161041"   "5169230"   "5202950"   "5237641"   "5303322"   "5339294"   "5365411"   "5410453"   "5440197"   "5481637"   "5485291"   "5575549"   "5618096"   "5655832"   "5684354"   "5721795"   "5806995"   "5883684"   "6007209").PN.	USPAT

	Type	Hits	Search Text	DBs
88	BRS	73	("Re33987"   "1734834"   "2448244"   "2761056"   "2907869"   "3223833"   "3300646"   "3349234"   "3497686"   "3539796"   "3586851"   "3610941"   "3752974"   "3754130"   "3892959"   "3957351"   "4011001"   "4043636"   "4115994"   "4118110"   "4183628"   "4195915"   "4212048"   "4252416"   "4257084"   "4392750"   "4440474"   "4453200"   "4528617"   "4560264"   "4616295"   "4649462"   "4706173"   "4714983"   "4720706"   "4723840"   "4735495"   "4737896"   "4766526"   "4798448"   "4826294"   "4875200"   "4910652"   "4914553"   "4945349"   "4972394"   "4998804"   "5008658"   "5029045"   "5029986"   "5050946"   "5070431"   "5083240"   "5128783"   "5161041"   "5169230"   "5202950"   "5237641"   "5303322"   "5339294"   "5365411"   "5410453"   "5440197"   "5481637"   "5485291"   "5575549"   "5618096"   "5655832"   "5684354"   "5721795"   "5806995"   "5883684"   "6007209").PN.	USPAT
89	BRS	26	"5575549".URPN.	USPAT
90	BRS	4248	( (light near5 guide) or (wave adj guide)) and ((concave or convex or curved) near5 (plane or portion or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	1276	(( (light near5 guide) or (wave adj guide)) and ((concave or convex or curved) near5 (plane or portion or surface))) and ((light adj emitting adj diod\$4) or LED\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	181	(( (light near5 guide) or (wave adj guide)) and ((concave or convex or curved) near5 (plane or portion or surface))) and ((light adj emitting adj diod\$4) or LED\$4 )) and "362"/\$.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	35272	((concave or convex or curved) near5 (plane or portion or surface)) with (rear or opposite or reflect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	517	(( (concave or convex or curved) near5 (plane or portion or surface)) with (rear or opposite or reflect\$5)) and ( (light near5 guide) or (wave adj guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
95	BRS	150	(((((concave or convex or curved) near5 (plane or portion or surface)) with (rear or opposite or reflect\$5)) and ( (light near5 guide) or (wave adj guide)))) and ((light adj emitting adj diod\$4) or LED\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	712	( (light near5 guide) or (wave adj guide)) and ((rear or opposite) with curv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	225	(( (light near5 guide) or (wave adj guide)) and ((rear or opposite) with curv\$4)) and ((light adj emitting adj diod\$4) or LED\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	IS&R	2	("5276591").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	BRS	9	("1499688"   "2994148"   "3406475"   "3892959"   "4007985"   "4059916"   "4648690"   "5027258"   "5075826").PN.	USPAT
100	BRS	439022	(light adj emitting adj diod\$4) or LED\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	60583	(light near5 guide) or (wave adj guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	8737	((light adj emitting adj diod\$4) or LED\$4 ) and ( (light near5 guide) or (wave adj guide) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	20	(((((light adj emitting adj diod\$4) or LED\$4 ) and ( (light near5 guide) or (wave adj guide) )) and (color with mix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	0	"20010001207".URPN.	USPAT
105	BRS	0	"20010001207".URPN.	USPAT
106	BRS	0	"20010001207".URPN.	USPAT
107	BRS	462	((light adj emitting adj diod\$4) or LED\$4 ) and (color with mix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	20	(((((light adj emitting adj diod\$4) or LED\$4 ) and (color with mix)) and ( (light near5 guide) or (wave adj guide) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	2118	((light near5 guide) or (wave adj guide)) with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	423	( ((light near5 guide) or (wave adj guide)) with edge) and ((light adj emitting adj diod\$4) or LED\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
111	BRS	82	(( ((light near5 guide) or (wave adj guide)) with edge) and ((light adj emitting adj diod\$4) or LED\$4 )) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	45	((((light adj emitting adj diod\$4) or LED\$4 ) and ( (light near5 guide) or (wave adj guide) )) and 362/27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	83	(((((light adj emitting adj diod\$4) or LED\$4 ) and ( (light near5 guide) or (wave adj guide) )) and 362/26.ccls.) not (((light adj emitting adj diod\$4) or LED\$4 ) and ( (light near5 guide) or (wave adj guide) )) and 362/27.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	104	((((light adj emitting adj diod\$4) or LED\$4 ) and ( (light near5 guide) or (wave adj guide) )) and 362/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	439370	(light adj emitting adj diod\$4) or LED\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	1458	"40"/\$.ccls. and ((light adj emitting adj diod\$4) or LED\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	162587	(light or wave) near4 (guide or panel or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	216	("40"/\$.ccls. and ((light adj emitting adj diod\$4) or LED\$4 )) and ( (light or wave) near4 (guide or panel or substrate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	39	40/541.ccls. and ((light adj emitting adj diod\$4) or LED\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	22526	((light adj emitting adj diod\$4) or LED\$4 ) and ( (light or wave) near4 (guide or panel or substrate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	17	40/544.ccls. and (((light adj emitting adj diod\$4) or LED\$4 ) and ( (light or wave) near4 (guide or panel or substrate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	27	40/546.ccls. and (((light adj emitting adj diod\$4) or LED\$4 ) and ( (light or wave) near4 (guide or panel or substrate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	1	40/557.ccls. and (((light adj emitting adj diod\$4) or LED\$4 ) and ( (light or wave) near4 (guide or panel or substrate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	BRS	1	40/563.ccls. and (((light adj emitting adj diod\$4) or LED\$4 ) and ( (light or wave) near4 (guide or panel or substrate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
125	BRS	184500	((light or wave) near4 (gulde or panel or substrate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	1	((((light or wave) near4 (gulde or panel or substrate)) ) and (bottom with (non near uniform) with (prisms or (mlcro near structures)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	11	("5128842"   "5339179"   "5521796"   "5838403"   "5926601"   "5961198"   "5980054"   "6139162"   "6164799"   "6231200"   "6241358").PN.	USPAT
128	BRS	4	"6454452".URPN.	USPAT
129	BRS	0	((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with (non near uniform) with (micro near structures)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	0	((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with (micro near structures)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	496	((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with structures))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	0	((((light or wave) near4 (guide or panel or substrate)) ) and ((bottom with structures) with (non near uniform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
133	BRS	0	((((light or wave) near4 (gulde or panel or substrate)) ) and ((bottom with structures) with (variable)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	488271	((light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
135	BRS	183	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with structures)) and ( ((light adj emitting adj diod\$4) or LED\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
136	BRS	81	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with structures)) and ( ((light adj emitting adj diod\$4) or LED\$4)) and (variable or (non near uniform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
137	BRS	5	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with structures)) and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
138	BRS	1	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with structures)) and 362/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
139	IS&R	1	("5590945").PN.	USPAT; USOCR

	Type	Hits	Search Text	DBs
140	BRS	14	("2561885"   "3497686"   "3761704"   "4874228"   "4929866"   "4965950"   "4984144"   "5046826"   "5070431"   "5136480"   "5165772"   "5190370"   "5375043"   "5442523").PN.	USPAT
141	BRS	22	"5590945".URPN.	USPAT
142	BRS	52	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with structures)) and clad\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
143	BRS	9987	(((((light or wave) near4 (guide or panel or substrate)) ) and clad\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
144	BRS	1093	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with (grooves or prisms))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
145	BRS	22	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with (grooves or prisms) with clad\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
146	BRS	142	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with (grooves or prisms)) and clad\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
147	BRS	0	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with (grooves or prisms)) and clad\$6 and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
148	BRS	2	(((((light or wave) near4 (guide or panel or substrate)) ) and (bottom with (grooves or prisms)) and clad\$6 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
149	BRS	9987	(((((light or wave) near4 (guide or panel or substrate)) ) and clad\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	6941	(((((light or wave) near4 (guide or panel or substrate)) ) and clad\$6 and (structure or grooves or prisms)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	BRS	9	(((((light or wave) near4 (guide or panel or substrate)) ) and clad\$6 and (structure or grooves or prisms) and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	2	JP-11353920-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
153	IS&R	1	("5842297").PN.	USPAT; USOCR
154	BRS	7	("3399476"   "3605303"   "3748769"   "4697365"   "5215285"   "5433024"   "5640792").PN.	USPAT
155	BRS	13	"5842297".URPN.	USPAT
156	BRS	851	(((((light or wave) near4 (guide or panel or substrate)) ) and tint\$3 and (curv\$3 or bend\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
157	BRS	62	(((((light or wave) near4 (guide or panel or substrate)) ) and tint\$3 and (curv\$3 or bend\$4) and clad\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	23	(((((light or wave) near4 (guide or panel or substrate)) ) and tint\$3 and (curv\$3 or bend\$4) and clad\$5 and ( ((light adj emitting adj diod\$4) or LED\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	293	(((((light or wave) near4 (guide or panel or substrate)) ) and tint\$3 and (curv\$3 or bend\$4) and ( ((light adj emitting adj diod\$4) or LED\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	0	(((((light or wave) near4 (guide or panel or substrate)) ) and tint\$3 and (curv\$3 or bend\$4) and ( ((light adj emitting adj diod\$4) or LED\$4)) and /31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
161	BRS	69	(((((light or wave) near4 (guide or panel or substrate)) ) and tint\$3 and (curv\$3 or bend\$4) and ( ((light adj emitting adj diod\$4) or LED\$4)) and "362" /31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
162	BRS	4950	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
163	BRS	0	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5) with tint\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
164	BRS	0	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5) same tint\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
165	BRS	1083	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5)) and ( ((light adj emitting adj diod\$4) or LED\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
166	BRS	110	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5)) and ( ((light adj emitting adj diod\$4) or LED\$4)) and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
167	BRS	2	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5)) and ( ((light adj emitting adj diod\$4) or LED\$4)) and 362/31.ccls. and tint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
168	BRS	3	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5)) and ( ((light adj emitting adj diod\$4) or LED\$4)) and 362/31.ccls. and clad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
169	BRS	0	"20030206408".URPN.	USPAT
170	BRS	0	"20030206408".URPN.	USPAT
171	BRS	110	(((((light or wave) near4 (guide or panel or substrate)) ) with (curv\$4 or ben\$5)) and ( ((light adj emitting adj diod\$4) or LED\$4)) and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
172	BRS	488511	(light adj emitting adj diod\$4) or LED\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
173	BRS	184591	((light or wave) near4 (guide or panel or substrate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
174	BRS	27542	( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
175	BRS	492	( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) ) and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
176	BRS	21	(( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) ) and 362/31.ccls.) and "40"\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
177	BRS	19	(( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) ) and 362/31.ccls.) and 362/559.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
178	BRS	14	(( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) ) and 362/31.ccls.) and 362/812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
179	BRS	2136	(((((light or wave) near4 (guide or panel or substrate)) ) with translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
180	BRS	435	( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) ) with translucent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
181	BRS	0	( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) ) with translucent) with spherical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
182	BRS	30	( (light adj emitting adj diod\$4) or LED\$4) and (((light or wave) near4 (guide or panel or substrate)) ) with translucent) and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
183	BRS	4145	(((light or wave) near4 (guide or panel or substrate)) ) and perimeter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
184	BRS	1234	(((light or wave) near4 (guide or panel or substrate)) ) and perimeter and ( (light adj emitting adj diod\$4) or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
185	BRS	30	(((light or wave) near4 (guide or panel or substrate)) ) and perimeter and ( (light adj emitting adj diod\$4) or LED\$4)) and 362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
186	BRS	79	("1734834"   "2448244"   "2761056"   "2907869"   "3223833"   "3300646"   "3349234"   "3539796"   "3586851"   "3610941"   "3752974"   "3754130"   "3821590"   "3957351"   "4011001"   "4043636"   "4115994"   "4118110"   "4183628"   "4195915"   "4212048"   "4252416"   "4257084"   "4392750"   "4440474"   "4453200"   "4528617"   "4560264"   "4616295"   "4649462"   "4706173"   "4714983"   "4720706"   "4723840"   "4735495"   "4737896"   "4766526"   "4798448"   "4826294"   "4875200"   "4910652"   "4914553"   "4945349"   "4972394"   "4998804"   "5008658"   "5029045"   "5029986"   "5050946"   "5070431"   "5083240"   "RE33987"   "5128783"   "5143433"   "5161041"   "5166815"   "5169230"   "5202950"   "5237641"   "5272601"   "5303322"   "5339294"   "5381309"   "5410453"   "5414599"   "5438495"   "5440197"   "5481637"   "5485291"   "5575549"   "5618096"   "5655832"   "5678913"   "5684354"   "5721795"   "5806995"   "5883684"   "6007209"   "6007225").PN.	USPAT

	Type	Hits	Search Text	DBs
187	BRS	79	("1734834"   "2448244"   "2761056"   "2907869"   "3223833"   "3300646"   "3349234"   "3539796"   "3586851"   "3610941"   "3752974"   "3754130"   "3821590"   "3957351"   "4011001"   "4043636"   "4115994"   "4118110"   "4183628"   "4195915"   "4212048"   "4252416"   "4257084"   "4392750"   "4440474"   "4453200"   "4528617"   "4560264"   "4616295"   "4649462"   "4706173"   "4714983"   "4720706"   "4723840"   "4735495"   "4737896"   "4766526"   "4798448"   "4826294"   "4875200"   "4910652"   "4914553"   "4945349"   "4972394"   "4998804"   "5008658"   "5029045"   "5029986"   "5050946"   "5070431"   "5083240"   "RE33987"   "5128783"   "5143433"   "5161041"   "5166815"   "5169230"   "5202950"   "5237641"   "5272601"   "5303322"   "5339294"   "5381309"   "5410453"   "5414599"   "5438495"   "5440197"   "5481637"   "5485291"   "5575549"   "5618096"   "5655832"   "5678913"   "5684354"   "5721795"   "5806995"   "5883684"   "6007209"   "6007225").PN.	USPAT
188	IS&R	2	((("6043591") or ("6473554"))).PN.	USPAT; USOCR
189	IS&R	2	("6473554").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
190	IS&R	1	("5414599").PN.	USPAT; USOCR
191	BRS	6	("4642736"   "4729067"   "4975807"   "5040098"   "5064276"   "5136480").PN.	USPAT
192	BRS	17	"5414599".URPN.	USPAT
193	BRS	337	362/31,551,559,231,240,244,246,330,3 31,335,336,337,338,339,800,812,26,27 .ccls. and @pd > "20031221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
194	BRS	48	S1 and @ad < "20010913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
195	BRS	0	116/63r63p63t.ccls. and @pd > "20031221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
196	BRS	13	116/63r,63p,63t.ccls. and @pd > "20031221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
197	BRS	2	S4 and @ad < "20010913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
198	BRS	13	40/544,546,557,563.ccls. and @pd > "20031221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
199	BRS	28	340/907,909,944.ccls. and @pd > "20031221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
200	BRS	3	sommers-matthew.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
201	IS&R	13	((("6164791") or ("6443582") or ("5418384") or ("5590945") or ("5575549") or ("5640792") or ("5433024") or ("5786665") or ("6134092") or ("6539656") or ("5050946") or ("6036328") or ("4965950")).PN.	USPAT
202	BRS	4	("5177889"   "5640792"   "5786665"   "5842297").PN.	US-PGPUB; USPAT; USOCR
203	BRS	5	("5461547"   "5485354"   "5575549"   "5718497"   "5779337").PN.	US-PGPUB; USPAT; USOCR
204	BRS	2	("6164791").URPN.	USPAT
205	BRS	2	("6164791").URPN.	USPAT
206	BRS	2	("6164791").URPN.	USPAT
207	BRS	4	("5177889"   "5640792"   "5786665"   "5842297").PN.	US-PGPUB; USPAT; USOCR
208	BRS	0	("6539656").URPN.	USPAT
209	BRS	4	("5177889"   "5640792"   "5786665"   "5842297").PN.	US-PGPUB; USPAT; USOCR
210	BRS	0	("6539656").URPN.	USPAT
211	BRS	0	("6539656").URPN.	USPAT
212	BRS	7387	362/31,551,559,231,240,244,246,330,331,335-339,800,812,26,27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
213	BRS	1190	116/63r,63p,63t.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
214	BRS	1110	40/544,546,557,563.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
215	BRS	774	340/907,909,944.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
216	BRS	10057	S212 or S213 or S214 or S215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
217	BRS	5588	S216 and @ad < "20010913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
218	BRS	543978	(light adj emitting adj diod\$4) or LED\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
219	BRS	2145	S217 and S218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
220	BRS	76768	( (light near5 guide) or (wave adj guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
221	BRS	5922	S220 and ((concave or convex or curved) near5 (plane or portion or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
222	BRS	142	S221 and S219	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB